

# Contents Volume 29

## Number 1

- 1 *Danielopolina kornickeri* sp. n. (Ostracoda, Thaumatoctypridoidea) from a western Australian anchialine cave: morphology and evolution  
*D. L. Danielopol, A. Baltanás and W. F. Humphreys*
- 17 Are the meiofaunal polychaetes *Hesionides arenaria* and *Stygocapitella subterranea* true cosmopolitan species? — results of RAPD-PCR investigations  
*H. Schmidt and W. Westbeide*
- 29 Gastropod evolutionary rates and phylogenetic relationships assessed using partial 28S rDNA and histone H3 sequences  
*D. J. Colgan, W. F. Ponder and P. E. Eggle*
- 65 Phylogeny of the Nemertodermatida (Acoelomorpha, Platyhelminthes). A cladistic analysis  
*K. Lundin*
- 75 ARDRA and RAPD-fingerprinting reject the sibling species concept for the ciliate *Paramecium caudatum* (Ciliophora, Protoctista)  
*T. Stoek, H. Welter, D. Seitz-Bender, J. Kusch and H. J. Schmidt*

## Number 2

- 83 Subordinal artiodactyl relationships in the light of phylogenetic analysis of 12 mitochondrial protein-coding genes  
*B. M. Ursing, K. E. Slack and U. Arnason*
- 89 Extant and fossil *Equus* (Mammalia, Perissodactyla) skulls: a morphometric definition of the subgenus *Equus*  
*V. Eisenmann and M. Baylac*
- 101 Soft anatomy, diffuse homoplasy, and the relationships of lizards and snakes  
*M. S. Y. Lee*
- 131 The phylogenetic interrelationships of the higher taxa of apterygote hexapods  
*C. Bitsch and F. Bitsch*
- 157 A new taxon, *capricornia* (Hesionidae, Polychaeta), illustrating the LITU ('Least Inclusive Taxonomic Unit') concept  
*F. Pleijel and G. W. Rouse*
- 169 Phylogenetic relationships of the family Axinellidae (Porifera: Demospongiae) using morphological and molecular data  
*B. Alvarez de Glasby, M. D. Crisp, F. Driver, J. N. A. Hooper and R. W. M. Van Soest*

## Number 3

- 199 Turtles as diapsid reptiles  
*O. Rieppel*
- 213 Bias? What bias? The evolution of downstream larval-feeding in animals  
*G. W. Rouse*
- 237 Phylogenetic analysis of the Enenterinae (Digenea, Lepocreadiidae) and discussion of the evolution of the digenean fauna of kyphosid fishes  
*D. R. Brooks, G. Pérez-Ponce de León and V. León-Régagnon*
- 247 Systematics and phylogeny of the cheilostome bryozoan Doryporella  
*A. V. Grischenko, S. F. Mawatari and P. D. Taylor*
- 265 Clypeatula cooperensis gen. n., sp. n., a new freshwater sponge (Porifera, Spongillidae) from the Rocky Mountains of Montana, U.S.A.  
*K. J. Peterson and J. S. Addis*

# Contents Volume 29

## Number 1

- 1 *Danielopolina kornickeri* sp. n. (Ostracoda, Thaumatoctypridoidea) from a western Australian anchialine cave: morphology and evolution  
*D. L. Danielopol, A. Baltanás and W. F. Humphreys*
- 17 Are the meiofaunal polychaetes *Hesionides arenaria* and *Stygocapitella subterranea* true cosmopolitan species? — results of RAPD-PCR investigations  
*H. Schmidt and W. Westbeide*
- 29 Gastropod evolutionary rates and phylogenetic relationships assessed using partial 28S rDNA and histone H3 sequences  
*D. J. Colgan, W. F. Ponder and P. E. Eggle*
- 65 Phylogeny of the Nemertodermatida (Acoelomorpha, Platyhelminthes). A cladistic analysis  
*K. Lundin*
- 75 ARDRA and RAPD-fingerprinting reject the sibling species concept for the ciliate *Paramecium caudatum* (Ciliophora, Protoctista)  
*T. Stoek, H. Welter, D. Seitz-Bender, J. Kusch and H. J. Schmidt*

## Number 2

- 83 Subordinal artiodactyl relationships in the light of phylogenetic analysis of 12 mitochondrial protein-coding genes  
*B. M. Ursing, K. E. Slack and U. Arnason*
- 89 Extant and fossil *Equus* (Mammalia, Perissodactyla) skulls: a morphometric definition of the subgenus *Equus*  
*V. Eisenmann and M. Baylac*
- 101 Soft anatomy, diffuse homoplasy, and the relationships of lizards and snakes  
*M. S. Y. Lee*
- 131 The phylogenetic interrelationships of the higher taxa of apterygote hexapods  
*C. Bitsch and F. Bitsch*
- 157 A new taxon, *capricornia* (Hesionidae, Polychaeta), illustrating the LITU ('Least Inclusive Taxonomic Unit') concept  
*F. Pleijel and G. W. Rouse*
- 169 Phylogenetic relationships of the family Axinellidae (Porifera: Demospongiae) using morphological and molecular data  
*B. Alvarez de Glasby, M. D. Crisp, F. Driver, J. N. A. Hooper and R. W. M. Van Soest*

## Number 3

- 199 Turtles as diapsid reptiles  
*O. Rieppel*
- 213 Bias? What bias? The evolution of downstream larval-feeding in animals  
*G. W. Rouse*
- 237 Phylogenetic analysis of the Enenterinae (Digenea, Lepocreadiidae) and discussion of the evolution of the digenean fauna of kyphosid fishes  
*D. R. Brooks, G. Pérez-Ponce de León and V. León-Régagnon*
- 247 Systematics and phylogeny of the cheilostome bryozoan Doryporella  
*A. V. Grischenko, S. F. Mawatari and P. D. Taylor*
- 265 Clypeatula cooperensis gen. n., sp. n., a new freshwater sponge (Porifera, Spongillidae) from the Rocky Mountains of Montana, U.S.A.  
*K. J. Peterson and J. S. Addis*

#### Number 4

- 275 Intraspecific variation and evolutionary trends of *Alicornops simorrese* (Rhinocerotidae) in Spain  
*E. Cerdeño and B. Sánchez*
- 307 Phylogenetic position of the Tenrecs (Mammalia: Tenrecidae) of Madagascar based on analysis of the complete mitochondrial genome sequence of *Echinops telfairi*  
*S. K. Mouchaty, A. Gullberg, A. Janke and U. Arnason*
- 319 The ovipositor apparatus of basal Hymenoptera (Insecta): phylogenetic implications and functional morphology  
*L. Vilhelmsen*
- 347 A phylogenetic assessment of the branchiobdellidan family Branchiobdellidae (Annelida, Clitellata) using spermatological and somatic characters  
*A. Cardini, M. Ferraguti and S. R. Gelder*
- 367 Index